


Pressmasstabelle für SM30EC25/32
Table de sertissage pour SM30EC25/32
Pressarmatur Typ:
Raccord à sertir type:
G/GA/GC/GE/GF/GX/GS
Satz Nr.
Jeu nr.

 10/14/16/19
 22/26/30/34/39/45/51

 Schlauch
 Tuyau

Dimension


MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier

| | | | | | | | | | |
|---------|---------------|--------------------|-----------------|---------------|-------|-----|-------|-----------|-------------|
| 1SC | | 04M3K /-MTF | 225bar-11l/min | 04G.. | 17.55 | <-> | 18.05 | 16 | 1.80 |
| | | | | 04GA.. | 15.30 | <-> | 15.50 | 14 | 1.40 |
| >1SC | | 04M4K | 280bar-11l/min | 04G.. | 17.90 | <-> | 18.40 | 16 | 2.15 |
| | | | | 04GA.. | 16.90 | <-> | 17.10 | 16 | 1.00 |
| 2SC | 1/4" - DN6 | 04M5K /-MTF | 350bar-11l/min | 04G.. | 17.90 | <-> | 18.40 | 16 | 2.15 |
| | | | | 04GA.. | 16.90 | <-> | 17.10 | 16 | 1.00 |
| >2SC | | 04M6K | 420bar-11l/min | 04G.. | 18.55 | <-> | 19.05 | 16 | 2.80 |
| | | | | 04GE.. | 16.90 | <-> | 17.10 | 16 | 1.00 |
| | | | | 04GI.. | 17.50 | <-> | 17.70 | 16 | 1.60 |
| | | | | 04GX.. | 17.30 | <-> | 17.50 | 16 | 1.40 |
| 1SC | | 05M3K /-MTF | 225bar-18l/min | 05G.. | 19.80 | <-> | 20.30 | 19 | 1.00 |
| | | | | 05GA.. | 18.60 | <-> | 18.80 | 16 | 2.70 |
| >1SC | 5/16" - DN8 | 05M4K /-MTF | 280bar-18l/min | 05G.. | 19.95 | <-> | 20.45 | 19 | 1.20 |
| | | | | 05GA.. | 18.20 | <-> | 18.40 | 16 | 2.30 |
| 2SC | | 05M5K /-MTF | 350bar-18l/min | 05G.. | 19.95 | <-> | 20.45 | 19 | 1.20 |
| | | | | 05GA.. | 18.60 | <-> | 18.80 | 16 | 2.70 |
| | | | | 05GX.. | 17.70 | <-> | 17.90 | 16 | 1.80 |
| >1SC | | 06M3K /-MTF | 225bar-27l/min | 06G.. | 20.30 | <-> | 20.80 | 19 | 1.55 |
| | | | | 06GA.. | 20.30 | <-> | 20.50 | 19 | 1.40 |
| R2-AT/C | 3/8" - DN10 | 06M4K | 280bar-27l/min | 06G.. | 21.60 | <-> | 22.10 | 19 | 2.85 |
| | | | | 06GA.. | 20.40 | <-> | 20.60 | 19 | 1.50 |
| >2SC | | 06M5K /-MTF | 350bar-27l/min | 06G.. | 21.55 | <-> | 22.05 | 19 | 2.80 |
| | | | | 06GA.. | 20.50 | <-> | 20.70 | 19 | 1.60 |
| | | | | 06GX.. | 21.70 | <-> | 21.90 | 19 | 2.80 |
| | | 06IA5600 | 385bar-27l/min | 06G.. | 21.60 | <-> | 22.10 | 19 | 2.85 |
| >1SC | | 08M3K /-MTF | 225bar-46l/min | 08G.. | 25.15 | <-> | 25.65 | 22 | 3.40 |
| | | | | 08GA.. | 24.40 | <-> | 24.60 | 22 | 2.50 |
| >2SC | 1/2" - DN12 | 08M4K /-MTF | 280bar-46l/min | 08G.. | 25.80 | <-> | 26.30 | 26 | 0.05 |
| | | | | 08GA.. | 24.70 | <-> | 24.90 | 22 | 2.80 |
| | | | | 08GX.. | 24.90 | <-> | 25.10 | 22 | 3.00 |
| >2SC | | 08M5K /-MTF | 350bar-46l/min | 08G.. | 26.15 | <-> | 26.65 | 26 | 0.40 |
| | | | | 08GA.. | 26.00 | <-> | 26.20 | 26 | 0.10 |
| 1SN | | 10G1 | 130bar-55l/min | 10G.. | 28.55 | <-> | 29.05 | 26 | 2.80 |
| | | | | 10GA.. | 27.90 | <-> | 28.10 | 26 | 2.00 |
| >1SC | 5/8" - DN16 | 10M3K /-MTF | 225bar-70l/min | 10G.. | 29.45 | <-> | 29.95 | 26 | 3.70 |
| | | | | 10GA.. | 29.80 | <-> | 30.00 | 26 | 3.90 |
| >2SC | | 10M4K /-MTF | 280bar-70l/min | 10G.. | 29.10 | <-> | 29.60 | 26 | 3.35 |
| | | | | 10GA.. | 30.10 | <-> | 30.30 | 30 | 0.20 |
| | | | | 10GX.. | 28.60 | <-> | 28.80 | 26 | 2.70 |
| 1SN | | 12G1 | 105bar-80l/min | 12G.. | 34.05 | <-> | 34.55 | 34 | 0.30 |
| | | | | 12GA.. | 35.15 | <-> | 35.65 | 34 | 1.40 |
| 2SC | 3/4" - DN20 | 12M3K /-MTF | 225bar-100l/min | 12G.. | 34.00 | <-> | 34.20 | 34 | 0.10 |
| | | | | 12GA.. | 35.20 | <-> | 35.70 | 34 | 1.45 |
| >2SC | | 12M4K /-MTF | 280bar-100l/min | 12G.. | 34.10 | <-> | 34.30 | 34 | 0.20 |
| | | | | 12GA.. | 32.60 | <-> | 32.80 | 30 | 2.70 |
| | | | | 12GX.. | 32.60 | <-> | 32.80 | 30 | 2.70 |
| 1SN | | 16G1 | 88bar-150l/min | 16G.. | 44.45 | <-> | 44.95 | 39 | 5.70 |
| | | | | 16GA.. | 45.45 | <-> | 45.95 | 45 | 0.75 |
| >2SC | 1" - DN25 | 16M3K /-MTF | 225bar-160l/min | 16GA.. | 41.30 | <-> | 41.50 | 39 | 2.40 |
| | | | | 16GX.. | 42.00 | <-> | 42.20 | 39 | 3.10 |
| 1SN | 1-1/4" - DN32 | 20G1 | 64bar-250l/min | 20G.. | 51.85 | <-> | 52.35 | 51 | 1.10 |
| | | | | 20GA.. | 49.30 | <-> | 49.50 | 45 | 4.40 |
| 2SN | | 20G2 | 125bar-260l/min | 20G.. | 53.75 | <-> | 54.25 | 51 | 2.00 |
| | | | | 20GA.. | 49.70 | <-> | 49.90 | 45 | 4.80 |


Pressmasstabelle für SM30EC25/32
Table de sertissage pour SM30EC25/32

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

Satz Nr.
 Jeu nr.

10/14/16/19
 22/26/30/34/39/45/51

Schlauch
 Tuyau Dimension



Megasprial - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15

| | | | | | | | | | |
|----------|-------------|----------------------|-----------------|---------------|-------|-----|-------|-----------|-------------|
| R15 | 3/8" - DN10 | 06EFG6K /-MTF | 420bar-27l/min | 06GS1F | 24.65 | <-> | 25.15 | 22 | 2.90 |
| R12 | 1/2" - DN12 | 08EFG4K | 280bar-46l/min | 08GS1F | 27.20 | <-> | 27.70 | 26 | 1.45 |
| R13 | | 08EFG5K | 350bar-46l/min | | | | | | |
| 4SP/R15 | 5/8" - DN16 | 08EFG6K /-MTF | 420bar-46l/min | 10GS1F | 33.30 | <-> | 33.80 | 30 | 3.55 |
| R12 | | 10EFG4K | 280bar-70l/min | | | | | | |
| 4SP/R13 | | 10EFG5K | 350bar-70l/min | | | | | | |
| R15 | | 10EFG6K /-MTF | 420bar-70l/min | | | | | | |
| R12 | 3/4" - DN20 | 12EFG4K | 280bar-100l/min | 12GS1F | 37.35 | <-> | 37.85 | 34 | 3.60 |
| 4SP/R13 | | 12EFG5K | 350bar-100l/min | | | | | | |
| 4SH/R15 | | 12EFG6K /-MTF | 420bar-100l/min | | | | | | |
| 4SP/R12 | 1" - DN25 | 16EFG4K | 280bar-180l/min | 16GS1F | 44.20 | <-> | 44.70 | 39 | 5.45 |
| R13 | | 16EFG5K | 350bar-180l/min | | | | | | |
| >4SH/R15 | | 16EFG6K /-MTF | 420bar-180l/min | | | | | | |

Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

| | | | | | | | | | |
|--------------------|-------------|-------------------|----------------|---------------|-------|-----|-------|-----------|-------------|
| Wasser | 1/4" - DN6 | 04HW1 | 250bar-11l/min | 04G.. | 17.70 | <-> | 17.90 | 16 | 1.80 |
| | | | | 04GA.. | 16.10 | <-> | 16.30 | 14 | 2.20 |
| eau | 5/16" - DN8 | 05HW2 | 400bar-18l/min | 05G.. | 20.50 | <-> | 20.70 | 19 | 1.60 |
| | | | | 05GA.. | 18.70 | <-> | 18.90 | 16 | 2.80 |
| eau | 3/8" - DN10 | 06HW2 | 400bar-27l/min | 06G.. | 21.70 | <-> | 21.90 | 19 | 2.80 |
| | | | | 06GA.. | 20.10 | <-> | 20.30 | 19 | 1.20 |
| HW | 1/2" - DN12 | 08HW1 | 250bar-46l/min | 08G.. | 25.40 | <-> | 25.60 | 22 | 3.50 |
| | | | | 08GA.. | 23.70 | <-> | 23.90 | 22 | 1.80 |
| "easyfarm 365+" | 5/16" - DN8 | 05HW-EF365 | 250bar-18l/min | 05GF.. | 18.30 | <-> | 18.50 | 16 | 2.40 |
| | 3/8" - DN10 | 06HW-EF365 | 275bar-27l/min | 06GF.. | 19.90 | <-> | 20.10 | 19 | 1.00 |
| | 1/2" - DN12 | 08HW-EF365 | 180bar-46l/min | 08GA.. | 22.90 | <-> | 23.10 | 22 | 1.00 |

GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

| | | | | | | | | | |
|--------|-------------|-------------------|----------------|---------------|-------|-----|-------|-----------|-------------|
| Wasser | 1/4" - DN6 | 04CM4000.. | 280bar-11l/min | 04G.. | 17.80 | <-> | 18.00 | 16 | 1.90 |
| | | | | 04GA.. | 16.20 | <-> | 16.40 | 14 | 2.30 |
| eau | 1/4" - DN6 | 04CM6000.. | 400bar-11l/min | 04G.. | 18.70 | <-> | 18.90 | 16 | 2.80 |
| | | | | 05G.. | 20.40 | <-> | 20.60 | 19 | 1.50 |
| eau | 5/16" - DN8 | 05CM6000.. | 420bar-18l/min | 05GA.. | 18.90 | <-> | 19.10 | 16 | 3.00 |
| | | | | 06G.. | 22.50 | <-> | 22.70 | 22 | 0.60 |
| eau | 3/8" - DN10 | 06CM6000.. | 420bar-27l/min | 06GA.. | 20.90 | <-> | 21.10 | 19 | 2.00 |
| | | | | 08G.. | 25.00 | <-> | 25.20 | 22 | 3.10 |
| eau | 1/2" - DN12 | 08CM3000.. | 210bar-46l/min | 08GA.. | 23.70 | <-> | 23.90 | 22 | 1.80 |

GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple

| | | | | | | | | | |
|-----|---------------|--------------------|---------------|--------------|-------|-----|-------|-----------|-------------|
| R4 | 5/8" - DN16 | IVG 2000-10 | 18bar-16l/min | 10G.. | 31.80 | <-> | 32.30 | 30 | 2.05 |
| R4H | 3/4" - DN20 | 12MULTIM | 24bar-22l/min | 12G.. | 36.90 | <-> | 37.40 | 34 | 3.15 |
| | 1" - DN25 | 16MULTIM | 21bar-40l/min | 16G.. | 43.75 | <-> | 44.25 | 39 | 5.00 |
| | 1-1/4" - DN32 | 20MULTIM | 17bar-62l/min | 20G.. | 50.75 | <-> | 51.25 | 51 | 0.00 |

Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier







| | | | | | | | | | |
|----------|-------------|--------------------|-----------------|--------------|-------|-----|-------|-----------|-------------|
| >2SC(SN) | 1/4" - DN6 | 04M2T /-MTF | 420bar-11l/min | 04G.. | 17.90 | <-> | 18.40 | 16 | 2.25 |
| 2SC(SN) | 5/16" - DN8 | 05M2T /-MTF | 380bar-18l/min | 05G.. | 19.95 | <-> | 20.45 | 19 | 1.20 |
| >2SC(SN) | 3/8" - DN10 | 06M2T /-MTF | 350bar-27l/min | 06G.. | 21.60 | <-> | 22.10 | 19 | 2.85 |
| >2SC(SN) | 1/2" - DN12 | 08M2T /-MTF | 300bar-46l/min | 08G.. | 26.05 | <-> | 26.55 | 22 | 4.30 |
| >2SC(SN) | 5/8" - DN16 | 10M2T /-MTF | 260bar-70l/min | 10G.. | 28.35 | <-> | 28.85 | 26 | 2.60 |
| 2SC(SN) | 3/4" - DN20 | 12M2T /-MTF | 240bar-100l/min | 12G.. | 34.55 | <-> | 35.05 | 34 | 0.80 |
| >2SC(SN) | 1" - DN25 | 16M2T /-MTF | 170bar-160l/min | 16G.. | 43.20 | <-> | 43.70 | 39 | 4.45 |

Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier

| | | | | | | | | | |
|----------|-------------|---------------------|----------------|--------------|-------|-----|-------|-----------|-------------|
| >2SC(SN) | 3/8" - DN10 | 06CM2TDL-XTF | 330bar-27l/min | 06G.. | 21.70 | <-> | 22.00 | 19 | 2.85 |
| | 1/2" - DN12 | 08CM2TDL-XTF | 275bar-46l/min | 08G.. | 26.15 | <-> | 26.45 | 26 | 0.25 |

Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier

| | | | | | | | | | |
|----------|-------------|--------------------|-----------------|--------------|-------|-----|-------|-----------|-------------|
| >2SC(SN) | 1/4" - DN6 | 04MXT /-XTP | 420bar-11l/min | 04G.. | 17.90 | <-> | 18.40 | 16 | 2.15 |
| 2SC(SN) | 5/16" - DN8 | 05MXT /-XTP | 390bar-18l/min | 05G.. | 19.95 | <-> | 20.45 | 19 | 1.20 |
| >2SC(SN) | 3/8" - DN10 | 06MXT /-XTP | 340bar-27l/min | 06G.. | 20.95 | <-> | 21.45 | 19 | 2.20 |
| >2SC(SN) | 1/2" - DN12 | 08MXT /-XTP | 280bar-46l/min | 08G.. | 24.90 | <-> | 25.40 | 22 | 3.15 |
| >2SC(SN) | 5/8" - DN16 | 10MXT /-XTP | 260bar-70l/min | 10G.. | 28.55 | <-> | 29.05 | 26 | 2.80 |
| 2SC(SN) | 3/4" - DN20 | 12MXT /-XTP | 220bar-100l/min | 12G.. | 34.05 | <-> | 34.55 | 34 | 0.30 |
| >2SC(SN) | 1" - DN25 | 16MXT /-XTP | 170bar-160l/min | 16G.. | 43.55 | <-> | 44.05 | 39 | 4.80 |

| Pressmasstabelle für SM30EC25/32 Table de sertissage pour SM30EC25/32 | | | | Pressarmatur Typ: Raccord à sertir type: G/GA/GC/GE/GF/GX/GS | | | | Satz Nr. Jeu nr. | |
|--|---------------|---|--|---|---|---|---|-------------------------------------|-------------|
| | | | | | | | | 10/14/16/19 22/26/30/34/39/45/51 | |
| Schlauch Tuyau | Dimension |  |  |  |  |  |  | | |
| Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier (- 40°C - +150°C) | | | | | | | | | |
| 2SC-HT | 1/4" - DN6 | 04G2XH | 420bar-11l/min | 04G.. | 18.55 | <-> | 19.05 | 16 | 2.80 |
| | 3/8" - DN10 | 06G2XH | 350bar-27l/min | 06G.. | 22.35 | <-> | 22.85 | 22 | 0.60 |
| | 1/2" - DN12 | 08G2XH | 290bar-46l/min | 08G.. | 26.40 | <-> | 26.90 | 26 | 0.65 |
| | 5/8" - DN16 | 10G2XH | 250bar-70l/min | 10G.. | 29.45 | <-> | 29.95 | 26 | 3.70 |
| | 3/4" - DN20 | 12G2XH | 215bar-100l/min | 12G.. | 35.2 | <-> | 35.7 | 34 | 1.45 |
| Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier | | | | | | | | | |
| 2SC | 1/4" - DN6 | 04F2 | 400bar-11l/min | 04G.. | 18.90 | <-> | 19.10 | 19 | 0.00 |
| | | | | 04GF.. | 16.10 | <-> | 16.30 | 16 | 0.20 |
| 2SC | 5/16" - DN8 | 05F2 | 350bar-18l/min | 05G.. | 21.10 | <-> | 21.30 | 19 | 2.20 |
| | | | | 05GF.. | 18.00 | <-> | 18.20 | 16 | 2.10 |
| 2SC | 3/8" - DN10 | 06F2 | 330bar-27l/min | 06G.. | 22.10 | <-> | 22.30 | 22 | 0.20 |
| | | | | 06GF.. | 20.00 | <-> | 20.20 | 19 | 1.10 |
| 2SC | 1/2" - DN12 | 08F2 | 275bar-46l/min | 08G.. | 26.50 | <-> | 26.70 | 22 | 4.60 |
| | | | | 08GF.. | 23.90 | <-> | 24.10 | 22 | 2.00 |
| 2SC | 5/8" - DN16 | 10F2 | 250bar-70l/min | 10G.. | 29.30 | <-> | 29.50 | 26 | 3.40 |
| | | | | 10GF.. | 27.3 | <-> | 27.50 | 26 | 1.40 |
| GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier | | | | | | | | | |
| pil | 3/16" - DN5 | P1T03 | 120bar-5L/min | 03GC.. | 11.30 | <-> | 11.50 | 10 | 1.40 |
| | | | | 03GK.. | 11.40 | <-> | 11.60 | 10 | 1.50 |
| | 1/4" - DN6 | P1T04 | 120bar-11L/min | 04GC.. | 14.00 | <-> | 14.20 | 14 | 0.10 |
| | | | | 04GK.. | 13.60 | <-> | 13.80 | 10 | 3.70 |
| | 5/16" - DN8 | P1T05 | 120bar-18L/min | 05GC.. | 16.50 | <-> | 16.70 | 16 | 0.60 |
| | 3/8" - DN10 | P1T06 | 120bar-27L/min | 06GC.. | 17.7 | <-> | 17.9 | 16 | 1.80 |
| Minimes-Hochdruckschlauch / Tuyau haute pression Minimes | | | | | | | | | |
| | 1/8" - DN2 | MS-HD630 | 630bar-2l/min | IN02 | 7.2 | <-> | 7.4 | x | x |
| Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon | | | | | | | | | |
| R7-N | 1/4" - DN6 | TFR7N04 - 0662 | 200bar-11l/min | 04G.. | 17.25 | <-> | 17.75 | 16 | 1.50 |
| | | | | 04GC.. | 13.9 | <-> | 14.1 | 14 | 0.00 |
| Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier | | | | | | | | | |
| R7-T | 3/16" - DN5 | TFR7T03 - 0871 | 360bar-5l/min | 03GD.. | 11.80 | <-> | 12.00 | 10 | 1.90 |
| | 1/4" - DN6 | TFR7T04 - 0872 | 310bar-11l/min | 04G.. | 17.25 | <-> | 17.75 | 16 | 1.50 |
| | | | | 04GC.. | 13.90 | <-> | 14.10 | 14 | 0.00 |
| | 5/16" - DN8 | TFR7T05 - 0873 | 250bar-18l/min | 05G.. | 19.80 | <-> | 20.30 | 19 | 1.05 |
| | | | | 05GB.. | 16.30 | <-> | 16.50 | 16 | 0.40 |
| | | | | 05GD.. | 17.80 | <-> | 18.00 | 16 | 1.90 |
| | 3/8" - DN10 | TFR7T06 - 0874 | 225bar-27l/min | 06G.. | 20.75 | <-> | 21.25 | 19 | 2.00 |
| | | | | 06GD.. | 18.70 | <-> | 18.90 | 16 | 2.80 |
| | 1/2" - DN12 | TFR7T08 - 0875 | 190bar-46l/min | 08G.. | 24.60 | <-> | 24.80 | 22 | 2.70 |
| | | | | | 08GC.. | 22.30 | <-> | 22.50 | 22 |
| Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier | | | | | | | | | |
| R10 | 1/4" - DN6 | TFR10T04 - 0852 | 400bar-11l/min | 04G.. | 18.35 | <-> | 18.85 | 16 | 2.60 |
| | | | | 04GA.. | 16.30 | <-> | 16.50 | 16 | 0.40 |
| | 5/16" - DN8 | TFR10T05 - 0853 | 400bar 18l/min | 05GE.. | 18.80 | <-> | 19.00 | 16 | 2.90 |
| | 3/8" - DN10 | TFR10T06 - 0854 | 330bar 27l/min | 06G.. | 21.50 | <-> | 22.00 | 19 | 2.75 |
| | | | | 06GE.. | 20.20 | <-> | 20.40 | 19 | 1.30 |
| | 1/2" - DN12 | TFR10T08 - 0855 | 260bar - 46l/min | 08G.. | 25.40 | <-> | 25.60 | 22 | 3.50 |
| | | | | 08GE.. | 24.5 | <-> | 24.7 | 22 | 2.60 |
| Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression | | | | | | | | | |
| | 1/4" - DN6 | GP8004 | 37bar-6l/min | 04G.. | 17.85 | <-> | 18.35 | 16 | 2.10 |
| | 5/16" - DN8 | GP8005 | 37bar-11l/min | 05G.. | 20.45 | <-> | 20.95 | 19 | 1.70 |
| | 3/8" - DN10 | GP8006 | 37bar-18l/min | 06G.. | 21.85 | <-> | 22.35 | 22 | 0.10 |
| | 1/2" - DN12 | GP8008 | 37bar-29l/min | 08G.. | 26.35 | <-> | 26.85 | 26 | 0.60 |
| | 5/8" - DN16 | GP8010 | 30bar-48l/min | 10G.. | 29.75 | <-> | 30.25 | 30 | 0.00 |
| | 3/4" - DN20 | GP8012 | 30bar-68l/min | 12G.. | 35.85 | <-> | 36.35 | 34 | 2.10 |
| | 1" - DN25 | GP8016 | 30bar-125l/min | 16G.. | 45.65 | <-> | 46.15 | 45 | 0.90 |
| | 1-1/4" - DN32 | GP8020 | 30bar-190l/min | 20G.. | 53.45 | <-> | 53.95 | 51 | 2.70 |

Pressmasstabelle für SM30EC25/32
Table de sertissage pour SM30EC25/32
Pressarmatur Typ:
Raccord à sertir type:
G/GA/GC/GE/GF/GX/GS
Satz Nr.
Jeu nr.

 10/14/16/19
 22/26/30/34/39/45/51

 Schlauch
 Tuyau Dimension

Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression (- 40°C - +150°C)

| | | | | | | | | | |
|-----|---------------|-----------------------|----------------|--------------|-------|-----|-------|-----------|-------------|
| ACR | 1/4" - DN6 | 04Megatech1000 | 70bar-6l/min | 04G.. | 17.55 | <-> | 18.05 | 16 | 1.80 |
| | 3/8" - DN10 | 06Megatech1000 | 70bar-18l/min | 06G.. | 20.35 | <-> | 20.85 | 19 | 1.60 |
| | 1/2" - DN12 | 08Megatech1000 | 70bar-29l/min | 08G.. | 25.65 | <-> | 26.15 | 22 | 3.90 |
| | 5/8" - DN16 | 10Megatech1000 | 70bar-48l/min | 10G.. | 29.20 | <-> | 29.70 | 26 | 3.45 |
| | 3/4" - DN20 | 12Megatech1000 | 70bar-68l/min | 12G.. | 34.80 | <-> | 35.30 | 34 | 1.05 |
| | 1" - DN25 | 16Megatech1000 | 70bar-125l/min | 16G.. | 42.95 | <-> | 43.45 | 39 | 4.20 |
| | 1-1/4" - DN32 | 20Megatech1000 | 70bar-190l/min | 20G.. | 51.05 | <-> | 51.55 | 51 | 0.30 |

ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier

| | | | | | | | | | |
|-----|-------------|----------------|----------------|---------------|-------|-----|-------|-----------|-------------|
| 1SC | 1/4" - DN6 | 04PRO1T | 225bar-11l/min | 04EX.. | 17.05 | <-> | 17.35 | 16 | 1.20 |
| | 5/16" - DN8 | 05PRO1T | 215bar-18l/min | 05EX.. | 17.80 | <-> | 18.10 | 16 | 1.95 |
| | 3/8" - DN10 | 06PRO1T | 180bar-27l/min | 06EX.. | 19.65 | <-> | 19.95 | 19 | 0.80 |
| | 1/2" - DN12 | 08PRO1T | 160bar-46l/min | 08EX.. | 22.90 | <-> | 23.20 | 22 | 1.05 |
| | 5/8" - DN16 | 10PRO1T | 130bar-60l/min | 10EX.. | 26.15 | <-> | 26.45 | 26 | 0.30 |
| | 3/4" - DN20 | 12PRO1T | 105bar-80l/min | 12EX.. | 29.95 | <-> | 30.25 | 30 | 0.10 |
| | 1" - DN25 | 16PRO1T | 88bar-140l/min | 16EX.. | 37.65 | <-> | 37.95 | 34 | 3.70 |

ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

| | | | | | | | | | |
|-----|-------------|----------------|-----------------|---------------|-------|-----|-------|-----------|-------------|
| 2SC | 1/4" - DN6 | 04PRO2T | 400bar-11l/min | 04EX.. | 17.55 | <-> | 17.85 | 16 | 1.70 |
| | | | | 04G.. | 18.70 | <-> | 19.00 | 16 | 2.80 |
| | 5/16" - DN8 | 05PRO2T | 350bar-18l/min | 05EX.. | 18.90 | <-> | 19.20 | 19 | 0.00 |
| | | | | 05G.. | 20.40 | <-> | 20.70 | 19 | 1.55 |
| | 3/8" - DN10 | 06PRO2T | 330bar-27l/min | 06EX.. | 20.45 | <-> | 20.75 | 19 | 1.60 |
| | | | | 06G.. | 22.20 | <-> | 22.50 | 22 | 0.35 |
| | 1/2" - DN12 | 08PRO2T | 275bar-46l/min | 08EX.. | 24.00 | <-> | 24.30 | 22 | 2.15 |
| | | | | 08G.. | 26.00 | <-> | 26.30 | 26 | 0.15 |
| | 5/8" - DN16 | 10PRO2T | 250bar-70l/min | 10EX.. | 27.65 | <-> | 27.95 | 26 | 1.80 |
| | | | | 10G.. | 28.90 | <-> | 29.20 | 26 | 3.05 |
| | 3/4" - DN20 | 12PRO2T | 215bar-100l/min | 12EX.. | 31.15 | <-> | 31.45 | 30 | 1.30 |
| | | | | 12G.. | 35.00 | <-> | 35.30 | 34 | 1.15 |
| | 1" - DN25 | 16PRO2T | 165bar-160l/min | 16EX.. | 38.95 | <-> | 39.25 | 39 | 0.10 |
| | | | | 16G.. | 43.50 | <-> | 43.80 | 39 | 4.65 |