


**Pressmasstabelle für SM52EC50E**  
**Table de sertissage pour SM52EC50E**

 Pressarmatur Typ:  
 Raccord à sertir type:  
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

 Satz Nr. 6/10/12/14/16/19  
 Jeu nr. 22/26/30/34/39  
 45/51/57/63/69

 Schlauch  
 Tuyau Dimension

**MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier**


SC	Dimension	Part No.	Flow	Part No.	Price	Part No.	Price	Part No.	Price	
1SC	1/4" - DN6	04M3K /-MTF	225bar-11l/min	04G..	17.55	<->	18.05	16	1.80	
				04GA..	15.30	<->	15.50	14	1.40	
>1SC		04M4K	280bar-11l/min	04G..	17.90	<->	18.40	16	2.15	
				04GA..	16.90	<->	17.10	16	1.00	
2SC		04M5K /-MTF	350bar-11l/min	04G..	17.90	<->	18.40	16	2.15	
				04GA..	16.90	<->	17.10	16	1.00	
>2SC		04M6K	420bar-11l/min	04G..	18.55	<->	19.05	16	2.80	
				04GE..	16.90	<->	17.10	16	1.00	
				04GI..	17.50	<->	17.70	16	1.60	
>2SC		04M6K	420bar-11l/min	04GX..	17.30	<->	17.50	16	1.40	
	05G..			19.80	<->	20.30	19	1.05		
	05GA..			18.60	<->	18.80	16	2.70		
1SC	5/16" - DN8	05M3K /-MTF	225bar-18l/min	05G..	19.95	<->	20.45	19	1.20	
				05GA..	18.20	<->	18.40	16	2.30	
>1SC		05M4K /-MTF	280bar-18l/min	05G..	19.95	<->	20.45	19	1.20	
				05GA..	18.60	<->	18.80	16	2.70	
2SC		05M5K /-MTF	350bar-18l/min	05GX..	17.70	<->	17.90	16	1.80	
				06G..	20.30	<->	20.80	19	1.55	
>1SC		3/8" - DN10	06M3K /-MTF	225bar-27l/min	06GA..	20.30	<->	20.50	19	1.40
					06G..	21.60	<->	22.10	19	2.85
R2-AT/C			06M4K	280bar-27l/min	06GA..	20.40	<->	20.60	19	1.50
					06G..	21.55	<->	22.05	19	2.80
>2SC	06M5K /-MTF		350bar-27l/min	06GA..	20.50	<->	20.70	19	1.60	
				06GX..	21.70	<->	21.90	19	2.80	
				06IA5600	385bar-27l/min	06G..	21.60	<->	22.10	19
>1SC	1/2" - DN12		08M3K /-MTF	225bar-46l/min	08G..	25.15	<->	25.65	22	3.40
					08GA..	24.40	<->	24.60	22	2.50
>2SC			08M4K /-MTF	280bar-46l/min	08G..	25.80	<->	26.30	22	4.05
		08GA..			24.70	<->	24.90	22	2.80	
		08GX..			24.90	<->	25.10	22	3.00	
>2SC		08M5K /-MTF	350bar-46l/min	08G..	26.15	<->	26.65	26	0.40	
				08GA..	26.00	<->	26.20	26	0.10	
1SN		5/8" - DN16	10G1	130bar-55l/min	10G..	28.55	<->	29.05	26	2.80
					10GA..	27.90	<->	28.10	26	2.00
>1SC			10M3K /-MTF	225bar-70l/min	10G..	29.45	<->	29.95	26	3.70
	10GA..				29.80	<->	30.00	26	3.90	
>2SC	10M4K /-MTF		280bar-70l/min	10G..	29.10	<->	29.60	26	3.35	
				10GA..	30.10	<->	30.30	30	0.20	
				10GX..	28.60	<->	28.80	26	2.70	
1SN	3/4" - DN20		12G1	105bar-80l/min	12G..	34.05	<->	34.55	34	0.30
					12G..	35.15	<->	35.65	34	1.40
2SC			12M3K /-MTF	225bar-100l/min	12GA..	34.00	<->	34.20	34	0.10
		12G..			35.20	<->	35.70	34	1.45	
>2SC		12M4K /-MTF	280bar-100l/min	12GA..	34.10	<->	34.30	34	0.20	
				12GX..	32.60	<->	32.80	30	2.70	
				16G..	44.45	<->	44.95	39	5.70	
1SN		1" - DN25	16G1	88bar-150l/min	16G..	45.45	<->	45.95	45	0.70
					16GA..	41.30	<->	41.50	39	2.40
>2SC			16M3K /-MTF	225bar-160l/min	16GX..	42.00	<->	42.20	39	3.10
	20G..				51.85	<->	52.35	51	1.10	
	20GA..				49.30	<->	49.50	45	4.40	
1SN	1-1/4" - DN32		20G1	64bar-250l/min	20G..	53.75	<->	54.25	51	3.00
					20GA..	49.70	<->	49.90	45	4.80
2SN			20G2	125bar-260l/min	24GSP1F-2	58.15	<->	58.65	57	1.40
					24GA..	55.60	<->	55.80	51	4.70
1SN			1-1/2" - DN40	24G1	50bar-330l/min	24GSP1F-2	59.80	<->	60.30	57
		24GA..				57.20	<->	57.40	57	0.30
2SN		1-1/2" - DN40	24G2	90bar-360l/min	24G..	57.20	<->	57.40	57	0.30

**Pressmasstabelle für SM52EC50E**  
**Table de sertissage pour SM52EC50E**

Pressarmatur Typ:  
 Raccord à sertir type:  
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.  
 Jeu nr. 6/10/12/14/16/19  
 22/26/30/34/39  
 45/51/57/63/69

Schlauch  
 Tuyau Dimension



**Megaspiral - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15**

R15	3/8" - DN10	<b>06EFG6K /-MTF</b>	420bar-27l/min	<b>06GS1F</b>	24.65	<->	25.15	<b>22</b>	<b>2.90</b>
R12	1/2" - DN12	<b>08EFG4K</b>	280bar-46l/min	<b>08GS1F</b>	27.20	<->	27.70	<b>26</b>	<b>1.45</b>
R13		<b>08EFG5K</b>	350bar-46l/min						
4SP/R15	5/8" - DN16	<b>08EFG6K /-MTF</b>	420bar-46l/min	<b>10GS1F</b>	33.30	<->	33.80	<b>30</b>	<b>3.55</b>
R12		<b>10EFG4K</b>	280bar-70l/min						
4SP/R13		<b>10EFG5K</b>	350bar-70l/min						
R15		<b>10EFG6K /-MTF</b>	420bar-70l/min						
R12	3/4" - DN20	<b>12EFG4K</b>	280bar-100l/min	<b>12GS1F</b>	37.35	<->	37.85	<b>34</b>	<b>3.60</b>
4SP/R13		<b>12EFG5K</b>	350bar-100l/min						
4SH/R15		<b>12EFG6K /-MTF</b>	420bar-100l/min						
4SP/R12	1" - DN25	<b>16EFG4K</b>	280bar-180l/min	<b>16GS1F</b>	44.20	<->	44.70	<b>39</b>	<b>5.45</b>
R13		<b>16EFG5K</b>	350bar-180l/min						
>4SH/R15		<b>16EFG6K /-MTF</b>	420bar-180l/min						
4SP/R12		<b>20EFG3K</b>	210bar-290l/min						
4SH/R13	1-1/4" - DN32	<b>20EFG4K</b>	280bar-290l/min	<b>20GS1F-4</b>	52.05	<->	52.55	<b>51</b>	<b>1.30</b>
		<b>20EFG5K</b>	350bar-290l/min	<b>20GS1F-4</b>	51.80	<->	52.30	<b>51</b>	<b>1.05</b>
R15	1-1/2" - DN40	<b>20EFG6K /-MTF</b>	420bar-290l/min	<b>20GS1F-6</b>	56.40	<->	56.90	<b>51</b>	<b>5.65</b>
4SP/>R12		<b>24EFG3K</b>	210bar-410l/min	<b>24GSP1F-4</b>	61.75	<->	62.25	<b>57</b>	<b>5.00</b>
>4SH/R13		<b>24EFG5K /-MTF</b>	350bar-410l/min	<b>24GSH../GSM..</b>	63.50	<->	64.00	<b>63</b>	<b>0.75</b>
R15	2" - DN50	<b>24EFG6K /-MTF</b>	420 bar-410l/min	<b>32GSP1F-4</b>	74.30	<->	74.80	<b>69</b>	<b>5.55</b>
4SP/>R12		<b>32EFG3K</b>	210bar-730l/min						

**Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau**

HW	5/16" - DN8	<b>05HW-EF365</b>	250bar-18l/min	<b>05GF..</b>	18.30	<->	18.50	<b>16</b>	<b>2.40</b>
"easyfarm	3/8" - DN10	<b>06HW-EF365</b>	275bar-27l/min	<b>06GF..</b>	19.90	<->	20.10	<b>19</b>	<b>1.00</b>
365+"	1/2" - DN12	<b>08HW-EF365</b>	180bar-46l/min	<b>08GA..</b>	22.90	<->	23.10	<b>22</b>	<b>1.00</b>

**GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau**

Wasser eau	1/4" - DN6	<b>04CM4000..</b>	280bar-11l/min	<b>04G..</b>	17.80	<->	18.00	<b>16</b>	<b>1.90</b>
				<b>04GA..</b>	16.20	<->	16.40	<b>16</b>	<b>0.30</b>
	1/4" - DN6	<b>04CM6000..</b>	400bar-11l/min	<b>04G..</b>	18.70	<->	18.90	<b>16</b>	<b>2.80</b>
				<b>05G..</b>	20.40	<->	20.60	<b>19</b>	<b>1.50</b>
	5/16" - DN8	<b>05CM6000..</b>	420bar-18l/min	<b>05GA..</b>	18.90	<->	19.10	<b>19</b>	<b>0.00</b>
				<b>06G..</b>	22.50	<->	22.70	<b>22</b>	<b>0.60</b>
	3/8" - DN10	<b>06CM6000..</b>	420bar-27l/min	<b>06GA..</b>	20.90	<->	21.10	<b>19</b>	<b>2.00</b>
				<b>08G..</b>	25.00	<->	25.20	<b>22</b>	<b>3.10</b>
	1/2" - DN12	<b>08CM3000..</b>	210bar-46l/min	<b>08GA..</b>	23.70	<->	23.90	<b>22</b>	<b>1.80</b>

**GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple**

R4	5/8" - DN16	<b>IVG 2000-10</b>	18bar-16l/min	<b>10G..</b>	31.80	<->	32.30	<b>30</b>	<b>2.05</b>
	3/4" - DN20	<b>12MULTIM</b>	24bar-22l/min	<b>12G..</b>	36.90	<->	37.40	<b>34</b>	<b>3.15</b>
R4H	1" - DN25	<b>16MULTIM</b>	21bar-40l/min	<b>16G..</b>	43.75	<->	44.25	<b>39</b>	<b>5.00</b>
	1-1/4" - DN32	<b>20MULTIM</b>	17bar-62l/min	<b>20G..</b>	50.75	<->	51.25	<b>45</b>	<b>6.00</b>
	1-1/2" - DN40	<b>24MULTIM</b>	10bar-90l/min	<b>24GSP1F-2</b>	56.80	<->	57.30	<b>51</b>	<b>6.05</b>
	2" - DN50	<b>32MULTIM</b>	10bar-155l/min	<b>32GSP1F-2</b>	70.40	<->	70.90	<b>69</b>	<b>1.65</b>

**Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier**







>2SC(SN)	1/4" - DN6	<b>04M2T /-MTF</b>	420bar-11l/min	<b>04G..</b>	17.90	<->	18.40	<b>16</b>	<b>2.15</b>
2SC(SN)	5/16" - DN8	<b>05M2T /-MTF</b>	380bar-18l/min	<b>05G..</b>	19.95	<->	20.45	<b>19</b>	<b>1.20</b>
>2SC(SN)	3/8" - DN10	<b>06M2T /-MTF</b>	350bar-27l/min	<b>06G..</b>	21.60	<->	22.10	<b>19</b>	<b>2.85</b>
>2SC(SN)	1/2" - DN12	<b>08M2T /-MTF</b>	300bar-46l/min	<b>08G..</b>	26.05	<->	26.55	<b>26</b>	<b>0.30</b>
>2SC(SN)	5/8" - DN16	<b>10M2T /-MTF</b>	260bar-70l/min	<b>10G..</b>	28.35	<->	28.85	<b>26</b>	<b>2.60</b>
2SC(SN)	3/4" - DN20	<b>12M2T /-MTF</b>	240bar-100l/min	<b>12G..</b>	34.55	<->	35.05	<b>34</b>	<b>0.80</b>
>2SC(SN)	1" - DN25	<b>16M2T /-MTF</b>	170bar-160l/min	<b>16G..</b>	43.20	<->	43.70	<b>39</b>	<b>4.45</b>

**Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier**

>2SC(SN)	3/8" - DN10	<b>06CM2TDL-XTF</b>	330bar-27l/min	<b>06G..</b>	21.70	<->	22.00	<b>19</b>	<b>2.85</b>
	1/2" - DN12	<b>08CM2TDL-XTF</b>	275bar-46l/min	<b>08G..</b>	26.15	<->	26.45	<b>26</b>	<b>0.30</b>

**Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier**

>2SC(SN)	1/4" - DN6	<b>04M2T /-MTF</b>	420bar-11l/min	<b>04G..</b>	17.90	<->	18.40	<b>16</b>	<b>2.15</b>
2SC(SN)	5/16" - DN8	<b>05M2T /-MTF</b>	390bar-18l/min	<b>05G..</b>	19.95	<->	20.45	<b>19</b>	<b>1.20</b>
>2SC(SN)	3/8" - DN10	<b>06M2T /-MTF</b>	340bar-27l/min	<b>06G..</b>	20.95	<->	21.45	<b>19</b>	<b>2.20</b>
>2SC(SN)	1/2" - DN12	<b>08M2T /-MTF</b>	280bar-46l/min	<b>08G..</b>	24.90	<->	25.40	<b>22</b>	<b>3.15</b>
>2SC(SN)	5/8" - DN16	<b>10M2T /-MTF</b>	260bar-70l/min	<b>10G..</b>	28.55	<->	29.05	<b>26</b>	<b>2.80</b>
2SC(SN)	3/4" - DN20	<b>12M2T /-MTF</b>	220bar-100l/min	<b>12G..</b>	34.05	<->	34.55	<b>34</b>	<b>0.30</b>
>2SC(SN)	1" - DN25	<b>16M2T /-MTF</b>	170bar-160l/min	<b>16G..</b>	43.55	<->	44.05	<b>39</b>	<b>3.80</b>

Pressmasstabelle für SM52EC50E Table de sertissage pour SM52EC50E		Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP						Satz Nr. Jeu nr.	6/10/12/14/16/19 22/26/30/34/39 45/51/57/63/69
Schlauch Tuyau	Dimension								
<b>Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier ( - 40°C - +150°C )</b>									
2SC-HT	1/4" - DN6	<b>04G2XH</b>	420bar-11l/min	<b>04G..</b>	18.55	<->	19.05	<b>16</b>	<b>2.80</b>
	3/8" - DN10	<b>06G2XH</b>	350bar-27l/min	<b>06G..</b>	22.35	<->	22.85	<b>22</b>	<b>0.60</b>
	1/2" - DN12	<b>08G2XH</b>	290bar-46l/min	<b>08G..</b>	26.40	<->	26.90	<b>26</b>	<b>0.65</b>
	5/8" - DN16	<b>10G2XH</b>	250bar-70l/min	<b>10G..</b>	29.45	<->	29.95	<b>26</b>	<b>3.70</b>
	3/4" - DN20	<b>12G2XH</b>	215bar-100l/min	<b>12G..</b>	35.2	<->	35.7	<b>34</b>	<b>1.45</b>
<b>Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier</b>									
2SC	1/4" - DN6	<b>04F2</b>	400bar-11l/min	<b>04G..</b>	18.90	<->	19.10	<b>16</b>	<b>3.00</b>
				<b>04GF..</b>	16.10	<->	16.30	<b>16</b>	<b>0.20</b>
2SC	5/16" - DN8	<b>05F2</b>	350bar-18l/min	<b>05G..</b>	21.10	<->	21.30	<b>19</b>	<b>2.20</b>
				<b>05GF..</b>	18.00	<->	18.20	<b>16</b>	<b>2.10</b>
2SC	3/8" - DN10	<b>06F2</b>	330bar-27l/min	<b>06G..</b>	22.10	<->	22.30	<b>22</b>	<b>0.20</b>
				<b>06GF..</b>	20.00	<->	20.20	<b>19</b>	<b>1.10</b>
2SC	1/2" - DN12	<b>08F2</b>	275bar-46l/min	<b>08G..</b>	26.50	<->	26.70	<b>26</b>	<b>0.60</b>
				<b>08GF..</b>	23.90	<->	24.10	<b>22</b>	<b>2.00</b>
2SC	5/8" - DN16	<b>10F2</b>	250bar-70l/min	<b>10G..</b>	29.30	<->	29.50	<b>26</b>	<b>3.40</b>
				<b>10GF..</b>	27.3	<->	27.50	<b>26</b>	<b>1.40</b>
<b>GATES Hochflexible Pilot- &amp; Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier</b>									
pil	3/16" - DN5	<b>P1T03</b>	120bar-5L/min	<b>03GC..</b>	11.30	<->	11.50	<b>10</b>	<b>1.40</b>
				<b>03GK..</b>	11.40	<->	11.60	<b>10</b>	<b>1.50</b>
	1/4" - DN6	<b>P1T04</b>	120bar-11L/min	<b>04GC..</b>	14.00	<->	14.20	<b>14</b>	<b>0.10</b>
				<b>04GK..</b>	13.60	<->	13.80	<b>12</b>	<b>1.70</b>
	5/16" - DN8	<b>P1T05</b>	120bar-18L/min	<b>05GC..</b>	16.50	<->	16.70	<b>16</b>	<b>0.60</b>
3/8" - DN10	<b>P1T06</b>	120bar-27L/min	<b>06GC..</b>	17.7	<->	17.9	<b>16</b>	<b>1.80</b>	
<b>Minimess-Hochdruckschlauch / Tuyau haute pression Minimess</b>									
	1/8" - DN2	<b>MS-HD630</b>	630bar-2l/min	<b>IN02</b>	7.2	<->	7.4	<b>6</b>	<b>1.30</b>
<b>Kunststoff-Hochdruckschläuche N =&gt; Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon</b>									
R7-N	3/16" - DN5	<b>TFR7N03 - 0661</b>	212bar-5l/min	<b>03GC..</b>	10.80	<->	11.00	<b>10</b>	<b>0.90</b>
	1/4" - DN6	<b>TFR7N04 - 0662</b>	200bar-11l/min	<b>04G..</b>	17.25	<->	17.75	<b>16</b>	<b>1.50</b>
<b>04GC..</b>				13.9	<->	14.1	<b>12</b>	<b>2.00</b>	
<b>Kunststoff-Hochdruckschläuche T =&gt;stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier</b>									
R7-T	3/16" - DN5	<b>TFR7T03 - 0871</b>	360bar-5l/min	<b>03GD..</b>	11.80	<->	12.00	<b>10</b>	<b>1.90</b>
				<b>04G..</b>	17.25	<->	17.75	<b>16</b>	<b>1.50</b>
	1/4" - DN6	<b>TFR7T04 - 0872</b>	310bar-11l/min	<b>04GC..</b>	13.90	<->	14.10	<b>12</b>	<b>2.00</b>
				<b>05G..</b>	19.80	<->	20.30	<b>19</b>	<b>1.05</b>
	5/16" - DN8	<b>TFR7T05 - 0873</b>	250bar-18l/min	<b>05GB..</b>	16.30	<->	16.50	<b>16</b>	<b>0.40</b>
				<b>05GD..</b>	17.80	<->	18.00	<b>16</b>	<b>1.90</b>
	3/8" - DN10	<b>TFR7T06 - 0874</b>	225bar-27l/min	<b>06G..</b>	20.75	<->	21.25	<b>19</b>	<b>2.00</b>
				<b>06GD..</b>	18.70	<->	18.90	<b>16</b>	<b>2.80</b>
	1/2" - DN12	<b>TFR7T08 - 0875</b>	190bar-46l/min	<b>08G..</b>	24.60	<->	24.80	<b>22</b>	<b>2.70</b>
				<b>08GC..</b>	22.30	<->	22.50	<b>22</b>	<b>0.40</b>
<b>Kunststoff-Hochdruckschläuche 10T =&gt;stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier</b>									
R10	1/4" - DN6	<b>TFR10T04 - 0852</b>	400bar-11l/min	<b>04G..</b>	18.35	<->	18.85	<b>16</b>	<b>2.60</b>
				<b>04GA..</b>	16.30	<->	16.50	<b>16</b>	<b>0.40</b>
	5/16" - DN8	<b>TFR10T05 - 0853</b>	400bar 18l/min	<b>05GE..</b>	18.80	<->	19.00	<b>16</b>	<b>2.90</b>
	3/8" - DN10	<b>TFR10T06 - 0854</b>	330bar 27l/min	<b>06G..</b>	21.50	<->	22.00	<b>19</b>	<b>2.75</b>
				<b>06GE..</b>	20.20	<->	20.40	<b>19</b>	<b>1.30</b>
	1/2" - DN12	<b>TFR10T08 - 0855</b>	260bar - 46l/min	<b>08G..</b>	25.40	<->	25.60	<b>22</b>	<b>3.50</b>
			<b>08GE..</b>	24.5	<->	24.7	<b>22</b>	<b>2.60</b>	
<b>Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression</b>									
GP	1/4" - DN6	<b>GP8004</b>	37bar-6l/min	<b>04G..</b>	17.85	<->	18.35	<b>16</b>	<b>2.10</b>
	5/16" - DN8	<b>GP8005</b>	37bar-11l/min	<b>05G..</b>	20.45	<->	20.95	<b>19</b>	<b>1.70</b>
	3/8" - DN10	<b>GP8006</b>	37bar-18l/min	<b>06G..</b>	21.85	<->	22.35	<b>22</b>	<b>0.10</b>
	1/2" - DN12	<b>GP8008</b>	37bar-29l/min	<b>08G..</b>	26.35	<->	26.85	<b>26</b>	<b>0.60</b>
	5/8" - DN16	<b>GP8010</b>	30bar-48l/min	<b>10G..</b>	29.75	<->	30.25	<b>26</b>	<b>4.00</b>
	3/4" - DN20	<b>GP8012</b>	30bar-68l/min	<b>12G..</b>	35.85	<->	36.35	<b>34</b>	<b>2.10</b>
	1" - DN25	<b>GP8016</b>	30bar-125l/min	<b>16G..</b>	45.65	<->	46.15	<b>45</b>	<b>0.90</b>
	1-1/4" - DN32	<b>GP8020</b>	30bar-190l/min	<b>20G..</b>	53.45	<->	53.95	<b>51</b>	<b>2.70</b>
	1-1/2" - DN40	<b>GP8024</b>	30bar-280l/min	<b>24GSP1F-2</b>	57.25	<->	57.75	<b>57</b>	<b>0.40</b>
	2" - DN50	<b>GP8032</b>	30bar-450l/min	<b>32GSP1F-2</b>	70.20	<->	70.70	<b>69</b>	<b>1.60</b>




**Pressmasstabelle für SM52EC50E**  
**Table de sertissage pour SM52EC50E**

Pressarmatur Typ:  
 Raccord à sertir type:  
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr. 6/10/12/14/16/19  
 Jeu nr. 22/26/30/34/39  
 45/51/57/63/69

Schlauch  
 Tuyau Dimension



**Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression ( - 40°C - +150°C )**

	Dimension	Part No.	Flow	Part No.	Length	Weight	Part No.	Weight
ACR	1/4" - DN6	<b>04Megatech1000</b>	70bar-6l/min	<b>04G..</b>	17.55	<-> 18.05	<b>16</b>	<b>1.80</b>
	3/8" - DN10	<b>06Megatech1000</b>	70bar-18l/min	<b>06G..</b>	20.35	<-> 20.85	<b>19</b>	<b>1.60</b>
	1/2" - DN12	<b>08Megatech1000</b>	70bar-29l/min	<b>08G..</b>	25.65	<-> 26.15	<b>22</b>	<b>3.90</b>
	5/8" - DN16	<b>10Megatech1000</b>	70bar-48l/min	<b>10G..</b>	29.20	<-> 29.70	<b>26</b>	<b>3.45</b>
	3/4" - DN20	<b>12Megatech1000</b>	70bar-68l/min	<b>12G..</b>	34.80	<-> 35.30	<b>34</b>	<b>1.05</b>
	1" - DN25	<b>16Megatech1000</b>	70bar-125l/min	<b>16G..</b>	42.95	<-> 43.45	<b>39</b>	<b>4.20</b>
	1-1/4" - DN32	<b>20Megatech1000</b>	70bar-190l/min	<b>20G..</b>	51.05	<-> 51.55	<b>51</b>	<b>0.30</b>
	1-1/2" - DN40	<b>24Megatech500</b>	35bar-280l/min	<b>24GSP1F-2</b>	57.15	<-> 57.65	<b>57</b>	<b>0.40</b>
2" - DN50	<b>32Megatech500</b>	35bar-450l/min	<b>32GSP1F-2</b>	70.35	<-> 70.85	<b>69</b>	<b>1.60</b>	

**ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier**

	Dimension	Part No.	Flow	Part No.	Length	Weight	Part No.	Weight
1SC	1/4" - DN6	<b>04PRO1T</b>	225bar-11l/min	<b>04EX..</b>	17.05	<-> 17.35	<b>16</b>	<b>1.20</b>
	5/16" - DN8	<b>05PRO1T</b>	215bar-18l/min	<b>05EX..</b>	17.80	<-> 18.10	<b>16</b>	<b>1.95</b>
	3/8" - DN10	<b>06PRO1T</b>	180bar-27l/min	<b>06EX..</b>	19.65	<-> 19.95	<b>19</b>	<b>0.80</b>
	1/2" - DN12	<b>08PRO1T</b>	160bar-46l/min	<b>08EX..</b>	22.90	<-> 23.20	<b>22</b>	<b>1.05</b>
	5/8" - DN16	<b>10PRO1T</b>	130bar-60l/min	<b>10EX..</b>	26.15	<-> 26.45	<b>26</b>	<b>0.30</b>
	3/4" - DN20	<b>12PRO1T</b>	105bar-80l/min	<b>12EX..</b>	29.95	<-> 30.25	<b>30</b>	<b>0.10</b>
	1" - DN25	<b>16PRO1T</b>	88bar-140l/min	<b>16EX..</b>	37.65	<-> 37.95	<b>34</b>	<b>3.80</b>

**ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier**

	Dimension	Part No.	Flow	Part No.	Length	Weight	Part No.	Weight
2SC	1/4" - DN6	<b>04PROV</b>	400bar-11l/min	<b>04G..</b>	18.30	<-> 18.50	<b>16</b>	<b>2.40</b>
	5/16" - DN8	<b>05PROV</b>	350bar-18l/min	<b>05G..</b>	20.60	<-> 20.80	<b>19</b>	<b>1.70</b>
	3/8" - DN10	<b>06PROV</b>	330bar-27l/min	<b>06G..</b>	21.70	<-> 21.90	<b>19</b>	<b>2.80</b>
	1/2" - DN12	<b>08PROV</b>	275bar-46l/min	<b>08G..</b>	26.00	<-> 26.20	<b>22</b>	<b>4.10</b>
	5/8" - DN16	<b>10PROV</b>	250bar-70l/min	<b>10G..</b>	28.90	<-> 29.10	<b>26</b>	<b>3.00</b>
	3/4" - DN20	<b>12PROV</b>	215bar-100l/min	<b>12G..</b>	34.30	<-> 34.50	<b>34</b>	<b>0.40</b>
	1" - DN25	<b>16PROV</b>	165bar-160l/min	<b>16G..</b>	43.60	<-> 43.80	<b>39</b>	<b>3.70</b>